al

Notice of Allowability	Application No.	Applicant(s)
	10/718,215	STERN, KENNETH
	Examiner	Art Unit
	John H. Le	2863
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 12/16/2005.		
2. The allowed claim(s) is/are <u>1-12</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
AM		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1/03	Paper No./Mail Dato 8), 7. ⊠ Examiner's Amendm	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material Output Description:	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
	9.	

EXAMINER'S AMENDMENT

Response to Amendment

1. Applicant's amendment filed 12/16/2005 has been entered and carefully considered.

Claim 1 has been amended.

Examiner's Amendment

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The applicant has been amended as follows:

Claims 13-25 have been cancelled.

Reasons for Allowance

- 3. Claims 1-12 are allowed.
- 4. The following is a statement of reasons for the indication of allowable subject matter:

Please see the previous office action and applicant's argument filed on 12/16/2005 and 07/18/2005.

Regarding claim 1, none of the prior art of record teaches or suggests the combination of a method of autocalibrating a plurality of phase delayed clock signal edges, wherein the method comprising steps of: measuring delay spacings between said plurality of clock signal edges within a reference clock period; calculating desired

Art Unit: 2863

delay spacings from said delay spacings; calculating ideal signal edges from said desired delay spacings; and adjusting said clock signal edges to match said respective ideal signal edges; wherein said plurality of clock signal edges are selectively available. It is these limitations as they are claimed in the combination with other limitations of claim, which have not been found, taught or suggested in the prior art of record, that make these claims allowable over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John H. Le whose telephone number is 571 272 2275. The examiner can normally be reached on 9:00 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John E. Barlow can be reached on 571 272 2269. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

Application/Control Number: 10/718,215

Art Unit: 2863

Page 4

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

John H. Le

Patent Examiner-Group 2863

December 23, 2005

John Bandy visory Patent Examine

Technology Center 2800